

S/N 10/743,247

Page 1 of 27

Inventor: Tan et al.

Attorney Docket: CS03-046

Reply to the Office action dated August 04, 2005

file: cs2003-046-rea1-2005-08-04.doc

To: Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

From:	William J. Stoffel	1735 Market St - Ste A455
	Reg no. 39,390	Philadelphia, PA 19103-7502 USA
	Customer no. 30,402	
		Work 215-670-2455
		Fax 267-200-0730

Subject:	Reply to the Office action dated August 04, 2005
Serial No.	10/743,247
Docket	CS03-046
File date:	12/22/2003
Inventor:	Tan et al.
Title:	Shallow Amorphizing Implant For Gettering Of Deep Secondary End Of Range Defects
Group Art Unit:	2822
Examiner:	Perkins, Pamela E

RESPONSE TO PATENT OFFICE ACTION

APPLICATION NO.	FILED DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,247	12/22/2003	Chang Ping Tan	CS03-046	0000
WILLIAM STOFFEL PMB 435 1735 MARKET ST. - STE. A PHILADELPHIA, PA 19103-7502				
EXAMINER PERKINS, PAMELA E				
ART UNIT 2822				
DATE MAILED: 09/04/2005				

5.

Dear Sir:

In response to the office action dated August 04, 2005, please consider the following remarks:

CERTIFICATE OF MAILING OR FACSIMILE TRANSMISSION	
Total 27 Pages in this Fax	
I hereby certify that this correspondence is being :	
<input type="checkbox"/> FAXED to the central facsimile number of patent and trademark office at the following number (571) 273-8300 or	
<input type="checkbox"/> deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450; on the date below.	
Signature <i>William J. Stoffel</i>	DATE <i>Nov 4, 2005</i> 11/07/2005 TL0111 00000012 10743247 Reg. No. 39,390 Customer number 30402

S/N 10/743,247
Inventor: Tan et al.
Reply to the Office action dated August 04, 2005

Page 2
Attorney Docket: CS03-046
file: cs2003-046-real-2005-08-04.doc

This response to Office Action has the following sections:

- ☐ **Amendments to the Claims** are reflected in the listing of claims that begin on the next page.
- ☐ **Amendments to the drawings** begin the page following the amendments to the claims.
- ☐ **Remarks/Arguments** begin on the page following the amendments to the drawings.
- ☐ **Attached – replacement drawing sheet 4/9 at end of response in appendix**